

SIMPLY IRRESISTIBLE





MULTI DECK HOT

Spreading impulse

Placing impulse food products in supermarket aisles and near checkouts has proven to be a successful strategy in today's grab-and-go market. With the Fri-Jado Multi Deck, your customers can pick up delicious, hot pre-packaged snacks and meal solutions practically anywhere in the store. With its single-phase connection, this self-service unit can be installed anywhere a proper electrical source is available. Now that's maximum flexibility!

Eye-catching sales promoter

Large glazed walls creating a 180-degree view and products at eye-level in an appealing design make for outstanding product presentation. The striking illuminated sign and the price strips on the shelves create great opportunities for your point of sales promotion.

Secure availability

An upright model, the Fri-Jado Multi Deck saves on valuable floor space. It also features four levels, which allows you to stock numerous products and reduce the need for re-stocking!

Clever technology, simple to operate

An efficient combination of conduction heat, airflow and an air curtain helps maintain ideal product temperatures. The Multi Deck consumes surprisingly little energy and is easy to operate!



MD 25 with savories



"Spreading your hot products throughout the shop"

MULTI DECK HOT

Features:




- Mirrored back side enhances the overall product display
- Integrated bumper offers protection against shopping trolleys
- Available in widths of 15, 25 and 40 inch

MULTI DECK HOT

| \longleftrightarrow | | |
|-----------------------|----------|--|
| | 73 1/4 " | |
| | | |

14 1/4"





| Dimensions | MD 15 Hot | MD 25 Hot | MD 40 Hot |
|----------------------------------|------------|----------------|-------------|
| - Width | 14 1/4" | 24 1/2" | 39 1/4" |
| - Width including supports | 17 1/2" | - | - |
| - Depth | 39" | 37 1/4" | 37 1/4" |
| - Height | 73 1/4″ | 75 1/4" | 75 1/4" |
| - Net. weight | 507 lbs. | 551 lbs. | 683 lbs. |
| - Shipping weight | 670 lbs. | 717 lbs. | 867 lbs. |
| - Default temperature setting | 167-176°F | 167-176°F | 167-176°F |
| Technical specifications 1 phase | | | |
| - Voltage | 208V | 208V | 208V |
| - Connecting power | 1850 W | 3200 W | 3700 W |
| - Amps | 8.9 A | 15.9 A | 18.3 A |
| - Plug type | NEMA 6-15P | NEMA 6-20P | NEMA 6-30P |
| | (°•) | G | |
| | | | () |
| Technical specifications 3 phase | | <u> </u> | |
| - Voltage | - | 208V | 208V |
| - Connecting power | - | 3200 W | 3700 W |
| - Amps | - | 13.4 A | 15.8 A |
| - Plug type | - | NEMA 15-20P | NEMA 15-20P |
| | | ●G 17 | |
| | | | |

Consumables



Chicken bags



Fri-Jado Inc. 180 Kehoe Boulevard Carol Stream Illinois 60188 Toll free 877 374 5236 Fax 630 784 1650 e-mail us.info@frijado.com www.frijado.com

