



# TOTAL CONTROL



# SUPER TURBO GRILL

intelligent

# STG INTELLIGENT

## Intelligent Cook Correction Technology

Continual improvement of perfection is what Fri-Jado stands for. And the STG Intelligent is a product of that! Why "Intelligent"? Because it features ingenious Cook Correction Technology. Cook Correction Technology corrects operators that do not fully load the rotisserie, overload it, or load it with products that fall under the average standard temperature. The computer measures abnormalities in the temperature curve and corrects the cooking cycle automatically.

## Safe and sure

The STG Intelligent stores the time and temperature of each cook cycle into its memory. Simply read that data into your PC, and the unit will become your ultimate assistant in HACCP control.

## Intuitive controls

This operator-friendly rotisserie features a flat glass control panel with a touch-sensitive wheel. The controls are based on the NAFEM protocol. And the memory offers space for no fewer than 250 programs with up to nine cooking stages per program!

## Corrective Operator Instructions

Though intelligent, the STG is a pleasure to operate thanks to its graphic color LCD with Corrective Operator Instructions. These instructions will help your operators make sure they follow the right grilling procedure.

## Advantage through technology

A combination of convection and infrared radiation makes the Super Turbo Grill Intelligent cook up to 25% faster than conventional models. Its large display section with curved double glass doors offers an excellent view of the cooking theatre and provides perfect insulation making the glass briefly touchable.

## Easy to clean

The STG's interior and exterior are stainless steel. Its magnetic double glass doors open with a gentle click. All removable parts are coated with the Fri-Jado XP450 coating. With this 3-layer, highly durable non-stick coating, cleaning your equipment is truly a piece of cake!



STG 7 Intelligent




STG 7+7 Intelligent

# "Controlled, consistent preparation"

## Features:

... Cook Correction Technology and Corrective Operator Instructions reduce the possibility of operator mistakes



... Intuitive controls with 250 programs and nine possible cooking stages per program

... Practical LCD panel with touch-sensitive wheel and graphic color screen. When stacked both controls are placed in the top unit for good ergonomics




... Fri-Jado XP450 3-layer easy-to-clean coating on all removable parts

... Cooks up to 25% faster than conventional models



... Curved, easy-to-clean double glass doors for maximum appeal and insulation

... Combination of convection and infrared radiation creates a crispy, even cook



... TCP/IP remote communication to upload programs and download HACCP information

### Other features

- 5 or 7 spit, V-spit, basket or rack positions
- Operator ID and password protected programming
- Automatic holding or alarm triggered unloading

# STG INTELLIGENT



Dimensions	STG 5	STW 5	STG 5+5*	STGW 5*	STG 7	STW 7	STG 7+7*	STGW 7*
- Width	32 1/4"	32 1/4"	32 1/4"	32 1/4"	38 3/4"	38 3/4"	38 3/4"	38 3/4"
- Depth	25 1/2"	25 1/2"	25 1/2"	25 1/2"	33 1/2"	33 1/2"	33 1/2"	33 1/2"
- Height	34 1/4"	34 1/4"	69"	69"	40 1/4"	40 1/4"	81"	81"
- Net weight	269 lbs.	220 lbs.	538 lbs.	485 lbs.	399 lbs.	331 lbs.	798 lbs.	730 lbs.
- Shipping weight	351 lbs.	269 lbs.	662 lbs.	574 lbs.	479 lbs.	364 lbs.	926 lbs.	843 lbs.
- Capacity	55 lbs.	55 lbs.	110 lbs.	2x55 lbs.	93 lbs.	93 lbs.	185 lbs.	2x93 lbs.

## Technical specifications 1 phase

- Voltage	208V	208V	208V	208V	208V	208V	208V	208V
- Connect. power	6.1 kW	2.5 kW	2x6.1 kW	6.1/2.5 kW	9.5 kW	3.3 kW	2x9.5 kW	9.5/3.3 kW
- Amps	29.3 A	12.0 A	2x29.3 A	29.3/12A	45.7A	15.9A	2x45.7A	45.7/15.9A
- Plug type	NEMA 6-50P	NEMA 6-15P	2xNEMA 6-50P	NEMA 6-50P/ NEMA 6-15P	fixed wiring	NEMA 6-20P	fixed wiring	fixed wiring/ NEMA 6-20P

## Technical specifications 3 phase

- Voltage	208V	208V	208V	208V	208V	2x208V	208V/208V
- Connect. power	6.1 kW	2x6.1 kW	2x6.1 kW	9.5 kW	3.3 kW	2x9.5 kW	9.5/3.3 kW
- Amps	15.7 A	2x15.7 A	2x15.7 A	24.7 A	9.6 A	2x24.7 A	24.7 A/9.6 A
- Plug type	NEMA 15-30P	2xNEMA 15-30P	2xNEMA 15-30P	NEMA 15-50P	NEMA 15-15P	2xNEMA 15-50P	NEMA 15-50P/ NEMA 15-15P

## Options

- V-spits (standard), meat forks, meat baskets or chicken racks (4 or 5 positions)
- STG underframe
- Double stack, or in combination with a matching warmer

\* Stacked STG rotisseries: each cabinet comes with separate power cord & plug

Fri-Jado Inc.  
180 Kehoe Boulevard  
Carol Stream  
Illinois 60188  
Toll free 877 374 5236  
Fax 630 784 1650  
e-mail [us.info@frijado.com](mailto:us.info@frijado.com)  
[www.frijado.com](http://www.frijado.com)



\* Specifications can change without notice

[www.frijado.com](http://www.frijado.com)

